# LOW-COST PET VACCINATION & MICROCHIP CLINIC

## MONDAY, MAY 12, 2014 5:30pm - 7:30pm

**Cats: 5:30pm-6:00pm ◆ Dogs: 6:00pm-7:30pm**

## JOE MILLIER FIELD

7630 Washington Ave., Whittier, CA 90602

For clinic and other pet health care information, visit **WWW.SCVVC.COM**. For pet licensing, adoption, and ordinance information, call **(877) 872-9738** or visit **www.animalcare.lacounty.gov.**

**DE-WORMINGS & FLEA CONTROL PRODUCTS AVAILABLE** (prices depend on pet's weight) ● Pet owners must be at least 18 years of age to participate ● All pets must be on leashes or in carriers ● Only healthy & non-pregnant animals will be vaccinated ● Vaccines listed below may change based upon availability ● License Renewal Notice or Prior Rabies Certificate required in order to receive a 3-year Rabies vaccine; otherwise the vaccine will be good for 1 year ● Bring vaccine records if possible ● ***CASH ONLY*** for all veterinary services ●

**NOTIFY THE VETERINARIAN PRIOR TO VACCINATING IF YOUR PET HAS EVER HAD A REACTION TO A VACCINE, OR IF YOUR PET HAS RECENTLY SHOWN ANY SIGN OF ILLNESS OR COULD BE PREGNANT!**

### MICROCHIPS FOR DOGS & CATS $25

**(Includes AVID PetTrac Registration & 24/7 Pet Lost & Found Hot-Line)**

### DOG VACCINES

**RABIES** (Thimerosal Free) **(Minimum Age: 3 mos)** **$10**

All dogs 4 mos old & older must be vaccinated for Rabies and licensed. Vaccines are good for **3 years** if dog is over 1 yr old and has proof of prior licensing or a valid Certificate of Rabies Vaccination from a licensed veterinarian in the U.S. Otherwise, vaccine is good for **1 year**, regardless of dog's age.

**DHPP** (*Distemper*, *Hepatitis*, *Parvo Parainfluenza*) **- OR -** **DAP** (*Distemper*, *Hepatitis*, *Parvo*) **(Minimum Age: 6 wks)** **$19 ***

Extremely contagious & potentially fatal diseases. **Age 6 to 16 weeks:** Initial series of **3** vaccines administered 4 weeks apart. **Older than 16 weeks:** Initial series of **2** vaccines administered 4 weeks apart. The first booster is recommended in one year. Thereafter, boosters are recommended every 12 to 36 months.

**BORDETELLA** *(Injectable Bronchiseptica Bacterin - Killed Virus)* **(Minimum Age: 8 wks)**

**- OR -**

**BORDETELLA w/PARAINFLUENZA** *(Intranasal Bronchiseptica & Parainfluenza - Modified Live Virus)* **(Age: 6 wks & older)** **$14 ***

Upper respiratory bacterial infection. **Injectable: Age 8 to 16 weeks:** Initial series of **3** vaccines administered 2 to 4 weeks apart. **Older than 16 weeks:** Initial series of 2 vaccines administered 2 to 4 weeks apart. **Intranasal: Age 6 to16 weeks:** Initial series of 2 vaccines administered 2 to 4 weeks apart. Older than 16 weeks: Only 1 initial vaccine needed. Thereafter, annual boosters are recommended for both injectable and intranasal vaccines.

*** Combo DISCOUNT: $2 OFF with DHPP & BORDETELLA -or- DAP & BORDETELLA w/PARAINFLUENZA**

**LYME** (*Borrelia Burgdorferi*) **(Minimum Age: 9 wks)** **$22**

A tick-borne disease. Only recommended for dogs in areas where tick infestation is a problem. **All ages:** Initial series of **2** vaccines administered 2 to 4 weeks apart. Thereafter, annual boosters are recommended.

### CAT VACCINES

**RABIES** (Thimerosal Free) **$10** **- OR -** **PUREVAX RABIES** (Non-Adjuvant) **$20** **(Minimum Age: 3 mos)**

Even indoor cats are at risk of contracting this fatal disease. Some cities require licensing for cats. Vaccine is good for **3 years** if cat is over 1yr old and has proof of prior licensing or a valid Certificate of Rabies Vaccine by a licensed U.S. veterinarian. Otherwise, vaccine is good for **1 year**, regardless of cat's age. Non-Adjuvant vaccines can help reduce the risk of cats developing sarcomas (cancer) sometimes associated with vaccinations. Purevax Rabies is always an annual vaccine.

**FVRCP** (Non-Adjuvant) *(Feline Viral Rhinotracheitis*, *Calici*, and *Panleukopenia)* **(Minimum Age: 6 wks)** **$18**

Serious upper respiratory infections. **Age 6 to 16 weeks:** Initial series of **3** vaccines administered 4 weeks apart. **Older than 16 weeks:** Initial series of **2** vaccines administered 4 weeks apart. Thereafter, the first booster is recommended in one year, then annual boosters are recommended.

**FELV** (Non-Adjuvant) *Feline Leukemia* **$21** **(Age: 10 weeks & older)**

A highly contagious and potentially fatal disease. Initial series of **2** vaccines administered 3 - 4 weeks apart. Preferably, the second vaccine should be administered between **14 to 16 weeks of age**. Thereafter, annual boosters are recommended.